

1992 Chrysler Town & Country

ENGINE OVERHAUL 1992 CHRYSLER MOTORS ENGINES 3.3L V6

ENGINE SPECIFICATIONS

GENERAL SPECIFICATIONS TABLE

GENERAL SPECIFICATIONS

Application	Specification
Displacement	201 Cu. In.
Bore	3.66" (92.9 mm)
Stroke	3.19" (81.0 mm)
Compression Ratio	8.9:1
Fuel System	PFI
Horsepower @ RPM	147 @ 4800
Torque Ft. Lbs. @ RPM	185 @ 3600

CRANKSHAFT, MAIN & CONNECTING ROD BEARINGS SPECIFICATIONS

CRANKSHAFT, MAIN & CONNECTING ROD BEARINGS

Application	In. (mm)
Crankshaft End Play	
Standard	.003-.009 (.08-.23)
Wear Limit	.015 (.38)
Main Bearings	
Journal Diameter	2.519 (63.98)
Journal Out-Of-Round	.001 (.03)
Journal Taper	.002 (.05)
Oil Clearance	.0007-.0022 (.018-.056)
Connecting Rod Bearings	
Journal Diameter	2.2830 (57.998)
Journal Out-Of-Round	.001 (.03)
Journal Taper	.001 (.03)
Oil Clearance	.0007-.0022 (.018-.056)

CONNECTING RODS SPECIFICATIONS

CONNECTING RODS

Application	In. (mm)
Side Play	.005-.015